

w w w . c h a i n a n d c a b l e . c o m



TRACTOR

TRACTION. DURABILITY.



Double Ring Self-Cleaning


Double Ring chains are ideal for use in mud or snow, off road, and excellent in soft terrain. They feature case hardened double welded rings that rotate, providing extra wear and self-cleaning action. Packed in cotton bags.

DOUBLE RING *Partial Listing of Tire Applications.

Part #	Tire Size			Cross Chain Part #	Cross Chains per Half Pair	Weight per Pair	
DR732	11.00-16	11.2-20	8.3-24	DR204	10	73	
	10.5/80-18	12.5-20	9.5-24				
	340/80-18	7.2-24					
DR736	12.4-16	11.2-24	9.5-28	DR204	12	88	
DR738	13.6-16 13.50-16.1	12.5/80-18 11.2-28	9.5-32	DR204	13	95	
DR752	15-22.5	16.5-22.5	12.4-24	340/85-24	DR206	12	101
DR756	13.6-24	380/85-24	420/70-24	12.4-28	DR206	13	109
DR758	13.6-26	41x14.00-20	340/85-28		DR206	14	117
DR759	13.6-28	420/70-30			DR206	15	125
DR764	13.6-36	12.4-38			DR206	17	140
DR766	13.9-36	13.6-38	12.4-42	DR206	18	150	
	11-38	12.4-40	11.2-44				
DR772	14.9-24				DR210	12	128
DR773	14.9-26	21.5L-16.1			DR210	13	138
DR774	18.4-16.1	16.9-24	14.9-28		DR210	14	138
DR777	16.9-26	440/80-28	16.9-30	DR210	15	159	
	16.9-28	14.9-30					
DR779	16.9-34	14.9-38	15.5-38		DR210	17	179
DR783	18.4-24	19.5L-24	18.4-26		DR211	14	165
DR785	21L-24	18.4-30			DR211	16	189
DR787	18.4-34	16.9-38			DR211	17	200
DR789	18.4-38				DR211	19	224
DR790	28L-26	23.1-30	20.8-34	20.8-38	DR212	19	242

DOUBLE RING REPLACEMENT CROSS CHAIN WITH HOOKS

Part #	Number of Links	Wire Dia.	Length w/Hook	Number per Package	Wt/pkg (lbs)
DR204	5	5/16"	18.69"	5	13
DR206	7	5/16"	22.35"	5	16
DR210	11	5/16"	29.67"	5	22
DR211	13	5/16"	33.33"	5	24
DR212	15	5/16"	36.99"	5	27



Tractor Chain Adjuster (Binder Included)

Part # 0275i



Roadboss Twist Link

Roadboss tractor chains are ideal for both highway and off road conditions. Case hardened twist link cross chains provide added traction in mud, snow and field conditions. Packed in cotton bags.

ROADBOSS *Partial Listing of Tire Applications.

Part #	Tire Size				Cross Chain Part #	Cross Chains per Half Pair	Weight per Pair
RB822	315/75-15	11.2-16	10.5/80-18	8.3-24	6434i	11	66
	11.00-16	12.00-16.5					
RB829	9.5-16	10-16.5			6434i	9	55
RB832	11.2-20	7.2-24	9.5-24		6434i	12	72
RB836	12.4-16	340/80-18	12.5-20	11.2-24 9.5-28	6445i	12	81
	12.5/80-18	15-19.5	355/80-20				
RB838	13.50-16.1	340/85-24	11.2-28	9.5-32	6445i	14	94
RB846	11.2-34	11.2-36 420/70-30	420/70-30	290/95-34	6445i	17	113
	11.2-32						
RB850	13.6-16	14-17.5			7420i	10	74
RB852	400/70-20	43/16.00x20	15-22.5	12.4-24	6445i	13	88
RB856	12.4-28				6445i	15	101
RB858	41x14.00-20	16.5-22.5 425/65-22.5	13.6-24	13.6-26	7420i	14	103
	44x18.00-20						
RB859	14.9-24	420/70-24 13.6-28	340/85-28		7420i	15	109
	380/85-24						
RB862	12.4-36	11.2-38 12.4-38	9.5-38		6445i	18	121
	9.5-36						
RB866	13.6-38	12.4-42	13.6-36	12.4-40	7420i	19	137
	13.9-36						
RB869	14.9-26	14.9-28			7420i	16	115
RB871	14.9-38				7420i	20	144
RB874	16.9-24	17.5-24	17.5L-24		7426i	15	121
RB876	16.9-26	16.9-28	14.9-30		7426i	16	129
RB877	440/80-28	16.9-30	380/85-30		7426i	17	137
RB879	420/90-30	16.9-34	15.5-38		7426i	18	145
RB880	16.9-38				7426i	20	160
RB881	18.4-16.1				9562i	10	122
RB883	18.4-24	19.5L-24	18.4-26		9562i	13	159
RB885	21L-24	18.4-30			9562i	15	182
RB887	18.4-34				9562i	16	193
RB889	18.4-38				9562i	17	206
RB892	20.8-38				6650i	18	234
RB894	18.4-42	14.9-46	420/80-46		9562i	19	228

ROADBOSS REPLACEMENT CROSS CHAIN WITH HOOKS

Part #	Number of Links	Wire Dia.	Length w/Hook	Number per Package	Wt/pkg (lbs)
6434i	11	3/8"	17.42"	5	11
6445i	14	3/8"	21.14"	5	13
6650i	19	7/16"	34.44"	5	26
7420i	16	3/8"	23.66"	5	15
7426i	19	3/8"	27.44"	5	15.5
9562i	17	7/16"	31.29"	5	24



Tru Grip

H-Pattern

Tru Grip farm tractor tire chains are designed to prevent the cross chains from dropping between the lugs of the tire tread by adding an interconnected adjacent cross chain. Packed in cotton bags.

TRU GRIP *Partial Listing of Tire Applications.

Part #	Tire Size			Cross Chain Part #	Cross Chains per Half Pair	Weight per Pair	
TRU214	11.2-16 13.50-16.1	11.2-24 9.5-24	9.5-28	TRU292	7	104	
TRU218	11-28 12.4-28	10-32 11.2-32	9.5-36 9.5-38	TRU293	9	138	
TRU224	11.2-34	11.2-36		TRU292	9	132	
TRU225	315/75-15	12.00-16.5	10.5/80-18	TRU293	6	90	
TRU226	355/80-20	11.2-28	9.5-32	TRU292	8	118	
TRU229	12.4-24			TRU293	8	124	
TRU232	11-36 12.4-36	10-38 11-38	11.2-38 12.4-38	TRU293	10	153	
TRU240	41x14.00-20 13.6-24	14.9-24 420/70-24	13.6-26	TRU295	8	132	
TRU242	13.00-24 12-28	13.6-28 320/85-34	13.9-36	TRU294	9	149	
TRU246	12-36	13.6-36	13.6-38	TRU294	10	161	
TRU250	14.9-26			TRU295	9	149	
TRU252	14.9-28	14.9-30		TRU295	10	164	
TRU260	16.9-24			TRU296	9	164	
TRU262	16.9-26	16.9-28		TRU297	9	160	
TRU263	17.5L-24			TRU296	8	145	
TRU264	18.4-16.1	21.5L-16.1	40x19-19.5	TRU298	6	121	
TRU266	16.9-30	16.9-32	14.9-38	15.5-38	TRU297	10	177
TRU268	18.4-24	19.5L-24	17.5-25	18.4-26	TRU298	8	160
TRU270	16.9-34	320/90-46			TRU297	11	194
TRU271	18.4-28	18.4-30	480/80-30		TRU298	9	180
TRU272	20.8-34	16.9-38	18.4-38		TRU298	11	219
TRU273	18.4-34				TRU298	10	199
TRU275	21L-24				TRU299	7	150
TRU276	20.8-38				TRU299	12	254
TRU277	18.4-42	18.4-46			TRU298	12	268

TIRE CHAIN ACCESSORIES

Part #	Description	Package	Wt/pkg (lbs)
40312i	5/16" Side Chain	100'	70
40375i	3/8" Side Chain	50'	50
15007i	Side Chain Fastener	1	1
0275i	X-Large Spring Tire Chain Adjuster, Tractor	1	14
20375i	3/8" Cross Chain Hooks	50	10
20406i	13/32" Cross Chain Hooks	50	15
20437i	7/16" Cross Chain Hooks	50	20

ACCESSORIES

See ICC® INDUSTRIAL brochure for part numbers and product information.

 <p>ICC® Grade 43 & 70 Clevis Grab Hook 1/4" to 1/2"</p>	 <p>ICC® Grade 43 & 70 Slip Hook 1/4" to 1/2"</p>	 <p>ICC® Grade 70 Weld-On Hook 5/16" to 1/2"</p>	 <p>Wallingford's Inc. Choker Glider 1/4" & 5/16"</p>	 <p>Quick Links 1/8" to 1/2"</p>
 <p>ICC® Commercial Grade Shackles 3/16" to 1"</p>	 <p>BABAC® BLACK™ Pin Load Rated Shackles 1/4" to 1"</p>	 <p>Thimbles</p>		
 <p>Cable Cutter and Blades</p>	 <p>Wedge Ferrule Assemblies 1/2" to 3/4"</p>	 <p>Cable Clamps</p>		
 <p>Hydraulic Wire Rope Cutter</p>				
 <p>Straps with Flat Hooks 2" x 27' & 2" x 30'</p>				
 <p>Ratchet Straps 1" x 12' & 1" x 15'</p>				
 <p>Ratchet Assemblies with Flat Hooks 2" x 27' & 2" x 30'</p>				
 <p>ICC® Ratchet Load Binders 5/16"- 3/8" 3/8"-1/2"</p>				
 <p>ICC® Lever Load Binders 1/4" & 5/16"- 3/8"</p>				

TIRE CHAIN ACCESSORIES

Part #	Description	Package	Wt/pkg (lbs)
7302i	Chain Repair Pliers	1	9
9116Di	3/8" Side Chain Repair Links	50	10
9116Fi	1/2" Side Chain Repair Links	10	4
30375i	3/8" Continuous Cross Chain	50'	65
30437i	7/16" Continuous Cross Chain	50'	85
30531i	17/32" Continuous Cross Chain	25'	35



www.aquilinetirechains.com



Aquiline® Multi-Purpose (MPC) 5.5mm

Aquiline® Multi Purpose Chains are exactly what is needed when clearance is an issue and excellent traction is needed. MPC tire chains are aggressive, giving the traction needed for snow removal, but will not damage the asphalt. Manufactured from a hardened alloy steel, featuring a square link with wear bars, these chains are both durable and light weight, and with the box pattern design will not fall down between the lugs of the tire. MPC tire chains are ideal for use with compact tractors, skid steers and agricultural applications.

Aquiline® Talon Tractor 9.5mm

Aquiline® Talon Chains are built with studded cross chains, manufactured from specifically designed alloy steel, which are case hardened for added durability. Talon tire chains feature robotically fused studs to provide the ultimate in off road traction. Talon tire chains have easy to use boomer style side chain fasteners and heavy duty cross chain hooks. The box pattern of the chains ensure that these chains will not fall between the lugs of the tire. Aquiline Talon tire chains are built to give you the best traction available.

Multi-Purpose (MPC)

Part #	Tire Sizes	Weight per Pair	Part #	Tire Sizes	Weight per Pair
9524AMPC	9.5-24	61	14175AMPC	14-17.5	62
10165AMPC	10.00-16.5	50	1420AMPC	14.9-24, 15.5-25	83
1116AMPC	12.5/80-18 11.2-20	59	1424AMPC	14.9-28	91
11224AMPC	11.2-24	68	14926AMPC	14.9-26	87
12165AMPC	12-16.5	54	15195AMPC	15-19.5	65
12416AMPC	12.4-16	55	16924AMPC	16.9-24	90
12424AMPC	12.4-24	71	16928AMPC	16.9-28, 18.4-24	96
1324AMPC	13.6-28	86	17524AMPC	17.5-24	86
13616AMPC	13.6-16	66	431620AMPC	43/16.00x20	74
13624AMPC	13.6-24	80	4457024AMPC	445/70-24, 460/65-24, 420/70-24	82

Talon Tractor

Part #	Tire Sizes	Weight per Pair	Part #	Tire Sizes	Weight per Pair
8324AST	8.3-24	162	15195AST	15-19.5	196
9516AST	9.5-16	148	16924AST	16.9-24, 17.5-24	248
9524AST	9.5-24	174	16928AST	16.9-28	264
10165AST	10-16.5	136	16930AST	16.9-30	275
11224AST	11.2-24, 12.4-20	182	16934AST	16.9-34, 18.4-30	284
11228AST	11.2-28, 12.4-24	201	16938AST	16.9-38, 18.4-34	305
11234AST	11.2-34, 11.2-36	243	184161AST	18.4-16.1	207
12165AST	12-16.5	153	18424AST	18.4-24	255
12416AST	12.4-16	167	18426AST	18.4-26, 18.4-28	270
12428AST	12.4-28, 13.6-24	218	18438AST	18.4-38	319
12436AST	12.4-36, 12.4-38	263	18442AST	18.4-42	344
13628AST	13.6-28	231	20834AST	20.8-34	340
13638AST	13.6-38	270	20838AST	20.8-38	348
14175AST	14-17.5	176	23126AST	23.1-26	315
14924AST	14.9-24, 420/70-24	197	23130AST	23.1-30	332
14926AST	14.9-26	243	23134AST	23.1-34	348
14928AST	14.9-28	255	431620AST	43/16-20	205
14938AST	14.9-38	285			

ACCESSORIES

See ICC® INDUSTRIAL brochure for part numbers and product information.

ICC® Grade 70 Transport Chain 1/4" to 1/2"	ICC® Grade 43 High Test Chain 1/4" to 1/2"	ICC® Grade 30 Proof Coil Hot Dip Galvanized Chain 1/4" to 1/2"	ICC® Aircraft Galvanized Wire Rope 1/8" to 3/8"	ICC® 6 x 26 IWRC EIPS General Purpose Wire Rope 1/4" to 1"	ICC® Premium Swage Wire Rope 1/2" to 7/8"
---	---	--	--	--	--



ICC® Grade 70
Binder Chain Assemblies
5/16" x 16', 5/16" x 20' &
3/8" x 16', 3/8" x 20' & 1/2" x 20'



Wire Rope Choker
Assembly with
End Ferrule



Wallingford's Inc.
Choker Chain Assembly
with Hook and Needle
5/16" x 7' & 1/4" x 7'



YOUR LOCAL DEALER

www.chainandcable.com

International Chain and Cable is a division of Wallingford's Inc.



MARKETED WORLDWIDE by

Wallingford's Inc.
1010 Kennedy Memorial Drive
Oakland, ME USA 04963

207 465 9575 | 800 323 3708
Fax: 207 465 9601

www.wallingfords.com
info@wallingfords.com



WALLINGFORD'S INC.