

w w w . c h a i n a n d c a b l e . c o m



**FORESTRY AND INDUSTRIAL
QUALITY. DEPENDABILITY.**



INTERNATIONAL CHAIN AND CABLE

FORESTRY AND INDUSTRIAL

ICC® Net™ chains are available in single, double, or triple Net™ patterns, in 9/16" (14mm), 5/8" (16mm), or 3/4" (19mm) tag options. All feature six aggressive U-Form® studs per section for maximum traction while also providing excellent tire protection.



Single Net™



Double Net™



Triple Net™



Economy Ring Bear Paw™



Standard Ring Bear Paw™



Tight Ring Bear Paw™

Bear Paw™ Ring chains are available in three different models, with either 5/8" or 3/4" tag chain, for heavy duty applications in mud or snow.

- Bear Paw™ Economy Ring, with seven links of tag chain, provides the traction required while also offering greater savings.
- Bear Paw™ Standard Ring, with industry standard five links of tag chain, delivers traction and performance with value.
- Bear Paw™ Tight-Ring, offers smooth operator ride with its three links tag configuration due to minimal distance between rings.



Hand Assembled in the State of Maine*

*Xtra Trac manufactured in Canada.



GRAPPLE SKIDDER

ICC® 5/8" (16mm) Super Stud™ model features 3/4" (19mm) oversized studs. Super Stud™ chain is recommended for harvester/forwarder applications in addition to skidders and loaders, where an open pattern for ease of cleaning is needed. Excellent traction on ice and rock.



Super Stud™

ICC Multi Ring® chains offer a smooth ride for the grapple skidder operator while providing for excellent traction in mud and snow.

- 7/8" (22mm) ring chains feature 1 1/4" x 10" rings (31.75mm x 254mm), and lugs 5/8" thick, 3" wide and 2" tall (16mm thick, 76.2mm wide, 50.8mm tall)
- 1" (25mm) ring chains feature 1 1/2"x11" rings (38.1 x 279mm), and lugs 1" thick, 3" wide, and 3" tall (25mm thick, 76.2mm wide, 76.2mm tall).



7/8" and 1" Multi Ring®



Combo™ Chain

An industry first of combination ring and stud chain allowing for traction in all types of terrain and conditions. With the aggressive ring design, coupled with studded tag chain, Combo™ Chain performs in mud or snow, and rock or ice, and is suitable for all heavy duty applications. Large heavy duty rings and lugs with 3/4" (19mm) studs on both the 5/8" (16mm) and 3/4" (19mm) tag models. Also available in dual side by side rings for wider flotation tire sizes.



1 1/8" Xtra Trac

- 1 1/8" (28mm) tag chain and 1 1/2" large rings feature lugs 1" thick, 3" wide and 2 1/2" tall (25mm thick, 76.2mm wide, 63.5mm tall). 1 1/8" (28mm) gathering ring with 3/4" thick, 2" wide and 2" tall lugs (19.05mm thick, 50.8mm wide, 50.8" tall) offer additional traction for steering.



FOREST CHAINS

Case Hardened 20Mn² Boron Alloy Steel

SINGLE DIAMOND®

Available in

3/4" (19mm)

7/8" (22mm)

DOUBLE DIAMOND®

Available in

3/4" (19mm)

7/8" (22mm)



MANUFACTURED IN PRC FOR ICC



YOUR LOCAL DEALER

www.chainandcable.com

International Chain and Cable is a division of Wallingford's Inc.



MARKETED WORLDWIDE by

Wallingford's Inc.
1010 Kennedy Memorial Drive
Oakland, ME USA 04963

207 465 9575 | 800 323 3708
Fax: 207 465 9601

www.wallingfords.com
info@wallingfords.com



WALLINGFORD'S INC.