

Forestry Tracks

for Harvesters, Forwarders and Skidders




Taking Traction to a new level of performance.

The future of traction innovation with the pewag bluetrack. bluetrack is specifically made for extreme applications. The combination of top-grade materials and decades long experience of our engineers in the forestry industry yields a product that knows no compromise. pewag tracks have superior wear resistance and extended lifetime thanks to a special hardening process for the connecting elements.





pewag® bluetrack duo duro

The ultimate universal all-terrain track

- Innovative mounting of the forged starwave® profile studs ensures optimum grip
- Increases the resilience of lighter forestry machines
- Effortless operation on wet or rocky ground



Traction		Rock / Stone / Clay / Mud	
Flotation		Snow / Ice	




pewag's innovative starwave® profile studs owe their increased durability and grip to their unique grooved design. The ridges allow for a deeper case hardening, making them extremely wear resistant.



bluetrack duo perfect extreme

The expert in steep terrain


- Maximum safety through increased traction and stability on steep slopes
- Improved traction between track and tire
- Reliable protection against tire damage



bluetrack duo perfect

Your pro on hillsides


- Optimized grip on steep and rocky terrain
- Reliable protection against tire damage
- Improved traction between track and tire



TENSIONERS

Part #	Description	Wt (lbs)	
		Lbs	Kg
BT DURO TENSIONER	Duro Tensioner	16.5	
BT FLOW TENSIONER	Flow Tensioner	16.5	
BT PERFECT TENSIONER	Perfect Tensioner	17.38	

BT Tensioner



Mono Tensioner



Impact Track Jack



Part #	Description	Wt (lbs)	
		Lbs	Kg
BT FL-PER TENSIONER	Flow-Perfect Tensioner	26.9	
BSWT	Mono Tensioner	12.2	
G202T	Impact Track Jack	25	



pewag connecting links are case hardened for greater wear resistance.

bluetrack duo flow-perfect

The all-rounder among forestry tracks

- Maximum safety through increased traction and stability on steep slopes
- Reliable protection against tire damage
- Improved traction between track and tire

Traction



Flotation / Clay / Mud



Rock / Stone / Snow



Ice




bluetrack duo flow

Your specialist on soft soil

- Wide contact surface area offers flotation
- Effortless operation on wet or soft ground
- Innovative mounting of the forged starwave® profile studs ensures optimum grip
- Available in 16mm for tires 710 and smaller, and 20mm for tires 750-780

Traction / Snow



Flotation



Clay / Mud






Ice / Rock / Stone




LOCKS, STUBS AND STAPLES

Part #	Description	Lbs	Wt Kg
BTL 6x179	Large bluetrack locks 26mm x 179mm	20.06	
BTL 26x129	Medium bluetrack locks 26mm x 129mm	18.48	
BTL 26x79	Short bluetrack locks 26mm x 79mm	12.76	



Part #	Description	Lbs	Wt Kg
SW	Small Wave Stub 58 x 39 x 28	6.2	
MW	Med Wave Stub 59 x 43 x 29		
BT STAPLES	240 mm Fitting Staples	6.7	





pewag[®] bluetrack mono skidder

A true all-rounder that can be used universally

- Innovative starwave[®] profile studs ensure optimum grip and prolonged lifespan
- 4 horizontal welded-on starwave[®] studs provide more stability and even traction
- Can be used on new and used tires

Traction




Flotation



Rock / Stone / Clay / Mud



Snow / Ice



Available in a range of sizes

BLUETRACK PERFECT-EXTREME (PX)

Tire Size	Tire Model	Part Number	Wt	
			Lbs	Kg
710/45-26.5	Nokian FKF, F2, TRS 2	STPX 8267TC-29 2X2MW	3837	1740
750/55-26.5	Nokian FKF2	STPX 8874TC-33 2X2MW	4939	2240
750/55-26.5	Nokian FKF, TRS	STPX 8268TC-33 2X2MW	4718	2140
750/55-26.5	Nokian TRS 2	STPX 8771TC-33 2X2MW	4894	2219
780/50-28.5	Nokian FKF2	STPX 8874TC-34 2X2MW	5071	2300
780/50-28.5	Nokian TRS 2	STPX 8975TC-34 2X2MW	5115	2320

BLUETRACK PERFECT

Tire Size	Tire Model	Part Number	Wt	
			Lbs	Kg
710/45-26.5	Nokian FKF, F2, TRS 2	BTP 8667CC-33 2X2MW	4212	1910
750/55-26.5	Nokian FKF	BTP 8668CC-37 2X2MW	4697	2130
750/55-26.5	Nokian TRS 2	BTP 9171CC-37 2X2MW	4873	2210
750/55-26.5, 780/50-28.5	Nokian FKF2	BTP 9174CC-38 2X2MW	4983	2260
780/50-28.5	Nokian TRS 2	BTP 9175CC-38 2X2MW	4983	2260

BLUETRACK DURO

Tire Size	Tire Model	Part Number	Wt	
			Lbs	Kg
710/45-26.5	Nokian FKF, F2, TRS 2	BTD 8667CC-33 2X2MW	4344	1970
750/55-26.5, 780/50-28.5 FKF 2	Nokian FKF2	BTD 9174CC-38 2X2MW	5094	2310
750/55-26.5	Nokian FKF	BTD 8668CC-37 2X2MW	4697	2130
750/55-26.5 TRS 2	Nokian TRS 2	BTD 9171CC-37 2X2MW	4873	2210
780/50-28.5 TRS 2	Nokian TRS 2	BTD 9175CC-38 2X2MW	5094	2310

BLUETRACK FLOW-PERFECT

Tire Size	Tire Model	Part Number	Wt	
			Lbs	Kg
710/45-26.5	Nokian FKF, F2, TRS 2	BTFP 8667CC-33 2X2MW	4432	2010
750/55-26.5	Nokian FKF	BTFP 8668CC37 2X2MW	4939	2240
750/55-26.5, 780/50-28.5	Nokian FKF2	BTFP 9174CC-38 2x2MW	5270	2390
750/55-26.5	Nokian TRS 2	BTFP 9171CC-37 2X2MW	5138	2330
780/50-28.5	Nokian TRS 2	BTFP 9175CC-38 2x2MW	5270	2390

55x55mm perfect plates for heavier machines

BLUETRACK FLOW

Tire Size	Tire Model	Part Number	Wt	
			Lbs	Kg
710/45-26.5	Nokian FKF, F2, TRS 2	BTF 8667CC-33 2X2MW	4652	2110
750/55-26.5	Nokian FKF	BTF 8668CC-37 2X2MW	5182	2350
750/55-26.5, 780/50-28.5	Nokian FKF2	BTF 9174CC-382X2MW	5535	2510
750/55-26.5	Nokian TRS 2	BTF20 9171CC-37 2X2MW	5380	2440
780/50-28.5	Nokian TRS 2	BTF20 9175CC-38 2X2MW	5535	2510

BLUETRACK MONO SKIDDER

Tire Size	Part Number	Wt	
		Lbs	Kg
23.1-26	PTMS 7867-17 4X4MW	2249	1020
24.5-32	PTMS 8071-29 4X4MW	2557	1159
28L26	PTMS 9384-17 4X4MW	2447	1109
30.5-32	PTMS 9585-20 4X4MW	2932	1329
35.5-32	BTMS 11098-25 4X4MW	3704	1680